Service is 1st!

DISTRIBUTION - B2B - CONSULTING - TRAININGS - PRESENTATIONS - SERVICES



WIRE SOLUTIONS™

the smartest way to connect.

WIRE SOLUTIONS

52-028 Wrocław, Poland; ul. Opatowicka 16

NIP: PL 899 229 92 03

Obsługa Klienta | Customer service: **+48 602 234 242**
+48 606 725 122
+48 606 725 175

e-mail: cs@wiresolutions.pl

Dział techniczny | Technical advice: **+48 606 725 982**

Facebook LinkedIn YouTube WWW

www.wiresolutions.pl

Wera
Be a Tool Rebel

Innovations

and Spring–Summer Campaign 2021

Our Spring 2021 product innovations

NEW

Kraftform Kompakt Stubby magazine 1



Application: Suitable for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1

Design: Bit holder with strong permanent magnet; BiTorsion bits for long service life, tough, for universal use. Take it easy tool finder: Size stamping and tips with colour coding to find the required bit quickly.

Handle: Kraftform Stubby with anti-roll protection, multi-component, integrated magazine

05**008873**001	
	851/1 BTZ PH 1x PH 1x25; 1x PH 2x25
	867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 **BTZ**
	800/1 BTZ 1x 0,8x5,5x25

NEW

Kraftform Kompakt Stubby magazine 2



Application: Suitable for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1

Design: Bit holder with strong permanent magnet; BiTorsion bits for long service life, tough, for universal use. Take it easy tool finder: Size stamping and tips with colour coding to find the required bit quickly.

Handle: Kraftform Stubby with anti-roll protection, multi-component, integrated magazine

05**008874**001	
	800/1 BTZ 1x 0,8x5,5x25; 1x 1,2x6,5x25
	851/1 BTZ PH 1x PH 1x25; 1x PH 2x25
	855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25

NEW

Kraftform Kompakt Stubby magazine 3



Application: Suitable for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1

Design: Bit holder with strong permanent magnet; BiTorsion bits for long service life, tough, for universal use. Take it easy tool finder: Size stamping and tips with colour coding to find the required bit quickly.

Handle: Kraftform Stubby with anti-roll protection, multi-component, integrated magazine

05**008875**001	
	867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 **BTZ**
	840/1 BTZ 1x 3,0x25; 1x 4,0x25; 1x 5,0x25 **Hex-Plus**

Handle with integrated bit magazine

The handle can be opened and thus gives access to the six bits contained in the magazine.

Compact shape

With its compact handle shape and the short blade, the Kraftform Stubbies are particularly suitable for working in confined screwdriving situations.

Swiveling bit magazine

The swiveling bit magazine allows for the bits to be removed easily in almost any situation and cannot be lost. The bits are safely stored.

Joker 6004 self-setting, adjustable spanner
Self-setting. Gripping. Ratcheting.

Automatically and continuously self-setting

With its automatically and continuously gripping parallel jaws the Joker spanner 6004 covers all dimensions in the respective field of application. The tool automatically finds the required size when placed on the bolt or screw, no setting required.

Gentle to the screw

The parallel smooth jaws of the Joker 6004 allow surface pressure and can thus prevent rounding of the bolt or screw head, which can occur during power transmission on corners.

Ratchet mechanism for fast work

The ratchet function in the mouth sees to fast and consistent screwdriving without removing the tool.

NEW

6004 Joker XL self-setting spanner

Application: Hexagon screw heads and bolts with wrench size 19-24 (metric) or $^{3}/_{4}$"-$^{15}/_{16}$" (imperial)

Design: Self-setting spanner with ratchet function; size-adjustable mouth side, parallel smooth jaws; with 30° return angle due to the corner-width rectangular prisms in the mouth; hole for hanging

	mm		mm	mm
05**020104**001	19-24	$^{3}/_{4}$"-$^{15}/_{16}$"	256	16

Joker 6004

Joker 6003 ring spanner

Mouth side with only 15° back-pivoting angle. When things get tight.

15°
SMALL ANGLE

For very tight spaces

The Joker 6003 combination wrench with its special mouth geometry – an open-end offset by 7.5° and the double hexagon geometry – doubles the placement possibilities when repeatedly turning the wrench 180° around the longitudinal axis. Bolts and screw heads can be "accessed" every 15°. The Joker 6003 will automatically find the respective placement point after every turn.

Angled ring side

The ring side is angled at 15° to the tool axis to prevent injury.

Double-hex geometry

The double hexagon geometry on the mouth and ring sides secures the positive connection with the screw head or bolt and reduces the risk of slipping.

NEW

6003 Joker combination wrench

Application: Hexagon screw heads and bolts

Design: Combination wrench; open-end offset by 7,5°, ring side pivoted by 15°; with Take it easy tool finder: colour coding by size

		mm	mm	mm	mm	mm
05**020190**001 [1]		5,5	105	16	4	10
05**020198**001 [1]		6	105	16	4	10
05**020199**001 [1]		7	110	17,7	4,2	11,5
05**020219**001 [1]		9	120	21	4,8	13,5
05**020500**001 [1]		20	230	45	7,5	29
05**020501**001 [1]		21	260	47	7,5	30
05**020502**001 [1]		22	260	49	7,5	31,5
05**020503**001 [1]		24	280	53	8	36
05**020504**001 [1]		27	300	60	8,5	40
05**020505**001 [1]		30	330	66	9	43
05**020506**001 [1]		32	360	70	9,5	45,5
05**020507**001 [1]		36	460	80	10	50,5

[1] Available from May 2021

NEW

6003 Joker combination wrench, Imperial

Application: Hexagon screw heads and bolts

Design: Combination wrench; open-end offset by 7,5°, ring side pivoted by 15°; with Take it easy tool finder: colour coding by size

			mm	mm	mm	mm
05**020220**001 [1]		1/4"	105	16	4	10

[1] Available from May 2021

NEW

Wera 2go H 1 tool set for wood applications



wera.de

134-piece set; in the compact Wera 2go 2 tool container for better mobility.

Compact tool set with 134 screwdriving tools for carpenters on the go. 1 Wera 2go 2 tool container (05004351001), 1 Wera Kraftform Kompakt H 1 tool set (05135939001), 1 Wera Bit-Safe 61 Wood (05057442001), 1x 950/9 Hex-Plus Multicolour HF set of Wera L-keys with holding function for hexagonal socket screws (05022210001), 1x 967/9 TX XL Multicolour HF 1 set of Wera L-keys with holding function for TORX® screws (05024470001), 1 carpenter's mallet 52-1 P (105 mm), 1 PICARD® claw hammer 0008501-28, French shape, 400 gr; 4 "KIRSCHEN"® bevelled-edge chisels (1001010, 10 mm; 1001016, 16 mm; 1001020, 20 mm; 1001026, 26 mm), 1 Lyra® deep hole marker, 1x KNIPEX® COBRA® multigrip pliers 87 11 250, 250 mm; 1x KNIPEX® combination pliers 0301160, 160 mm; 1x KNIPEX® carpenters' pincers 5000210, 210 mm; 1 Stabila® spirit level type 81, 25 cm 02500 Torpedo; 1 Stabila® folding wooden yardstick 18206, 2 m; 1 BESSEY® folding utility knife.

- Extensive 134-piece tool set in compact Wera 2go tool container for carpenters on the go
- Premium brand tools by Wera, BESSEY®, “KIRSCHEN“®, KNIPEX®, Lyra®, PICARD® and Stabila®
- Wera Kraftform Kompakt H 1 Wood (41-piece set) and Wera Bit-Safe 61 Wood 1 (61-piece set)
- 393 S extra slim bit hand holder with flexible shaft for applications in hard-to-reach work spaces
- Wera L-key with holding function: 967/9 TX XL Multicolour HF 1 (9-piece set) and 950/9 Hex-Plus Multicolour HF 1 (9-piece set)

Product not available in the USA and Canada.

05134011001	
1x Wera 2go 2 Tool Container	
1x Bit-Safe 61 Wood 1	
1x Kraftform Kompakt H 1 Woodcraft	
1x 967/9 TX XL Multicolour HF 1 L-key set with holding function, long	
1x 950/9 Hex-Plus Multicolour HF 1 L-key set, metric, BlackLaser, with holding function	
1x 393 S bits hand holder extra slim with flexible shaft	
1x KNIPEX® multigrip pliers COBRA® 250mm 87 11 250	
1x KNIPEX® combination pliers 160mm 03 01 160	
1x KNIPEX® carpenters' pincers 210mm 50 00 210	
1x Stabila® spirit level type 81 25cm 02500 Torpedo	
1x Carpenters' mallet 105mm 52-1 P	
1x “KIRSCHEN“® bevelled-edge chisel 10mm 1001010	
1x “KIRSCHEN“® bevelled-edge chisel 16mm 1001016	
1x “KIRSCHEN“® bevelled-edge chisel 20mm 1001020	
1x “KIRSCHEN“® bevelled-edge chisel 26mm 1001026	
1x BESSEY® folding utility knife DBKPH-EU	
1x Lyra® deep hole marker 4494102	
1x Stabila® folding wooden yardstick type 601 N-S 2m 18206	
1x PICARD® claw hammer 0008501-28	

NEW

Patio construction set T 1

Compact Wera tool set with the 17 most common screwdriving tools for patio construction. 1 bit holder with variable screw depth limitation, with retaining ring for a secure hold of the bits, 4 spare felt rings, which prevent brush marks on the patio decking, 1 Rapidaptor Stainless bit holder with quick-release chuck, 15 Stainless bits in stainless steel design to prevent extraneous rust, Take it easy tool finder: Colour coding in accordance to profile & size stamp, helps find the required bit quickly.

05**134021**001		
	881/4/1	1x 1/4"x90 [1]
	3888/4/1 K	1x 1/4"x50
	3851/1 TS PH	1x PH 1x25; 1x PH 2x25; 1x PH 3x25
	3855/1 TS PZ	1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25
	3867/1 TS TORX®	1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25
	3867/1 TS P TORX®	2x TX 25x25
	9201	4x 27,0

[1] The spare part kit with 5x felt rings can be ordered with the code number 05**130003**001.

NEW

881/4/1 SB Bit holder with variable screw depth limitation

Tip: Suitable for mounting bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1

Design: With adjustable screw depth limitation; allows the flush countersinking of screws; the felt ring (exchangeable) in the front of the bit mounting prevents brush marks on the patio decking; the retaining ring holds the bit securely in the holder

Drive: 1/4" hexagon, suitable for power screwdrivers with mounting as per DIN ISO 1173-F 6.3

05**130002**001		
	881/4/1	1x 1/4"x90 [1]
	9201	2x 27,0

[1] The spare part kit with 5x felt rings can be ordered with the code number 05**130003**001.

DEPTH CONTROL

Evenly flush countersinking of screws

The 881/4/1 bit holder allows for evenly flush countersinking of screws in decking when building patios. The screw depth can be adjusted as required. This prevents screws from being countersunk too deep.

Avoids damage caused by rot

The screw head is evenly flush with the decking, therefore so-called "water nests", which usually lead to rot, are avoided.

Individual screw depth

The required screw depth is set using the counter thread.

Bit mounting with retaining ring

Proven holder design, optimal fitting of the tool in the holder. Particularly robust for series applications.

Click-Torque R/L

Click-Torque R/L: For right and left direction

The Click-Torque torque wrench R/L is suitable for clockwise and anti-clockwise torque-control. Very smooth change of direction thanks to captive square head insert.

Exact

Precise to ± 3% as per DIN EN ISO 6789-1:2017-07.

Simple setting

With audible and tactile clicks when adjusting the scale values.

Simple and safe

Easy setting and saving of the desired torque value; readable on the main and fine scales.

NEW

Click-Torque C 2 Push R/L adjustable torque wrench for clockwise and anti-clockwise torque-control, 20-100 Nm

wera.de

Application: For clockwise and anti-clockwise torque-control

Precision: Precise to ±3 % of the set value, as per DIN EN ISO 6789-1:2017-07

Design: With 1/2" square head drive with socket locking, square head insert to change the tightening direction, fine-teethed ratchet mechanics, 45 teeth; easy setting and saving of the desired torque, with audible and tactile locking when the scale values are reached (fine scale only in Newton meters), audible and tactile release mechanism when the torque value is reached

Handle: Ergonomic 2-component handle

		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm					
05**075625**001 [1]	1/2"	20-100	0,5	15-73	405	140	47	43	18,5	15 15/16"	5 33/64"	1 27/32"	1 11/16"	45/64"

[1] Available from May 2021

NEW

Click-Torque C 3 Push R/L adjustable torque wrench for clockwise and anti-clockwise torque-control, 40-200 Nm



wera.de

Application: For clockwise and anti-clockwise torque-control

Precision: Precise to ±3 % of the set value, as per DIN EN ISO 6789-1:2017-07

Design: With 1/2" square head drive with socket locking, square head insert to change the tightening direction, fine-teethed ratchet mechanics, 45 teeth; easy setting and saving of the desired torque, with audible and tactile locking when the scale values are reached (fine scale only in Newton meters), audible and tactile release mechanism when the torque value is reached

Handle: Ergonomic 2-component handle

		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm					
05**075626**001 [1]	1/2"	40-200	1,0	30-146	510	140	47	43	18,5	20 5/64"	5 33/64"	1 27/32"	1 11/16"	45/64"

[1] Available from May 2021

NEW

Click-Torque E 1 Push R/L adjustable torque wrench for clockwise and anti-clockwise torque-control, 200-1000 Nm

wera.de

Application: For clockwise and anti-clockwise torque-control

Precision: Precise to ±3 % of the set value, as per DIN EN ISO 6789-1:2017-07

Design: With 3/4" square head drive, square head insert to change the tightening direction, fine-teethed ratchet mechanics, 45 teeth; easy setting and saving of the desired torque, with audible and tactile locking when the scale values are reached (fine scale only in Newton meters), audible and tactile release mechanism when the torque value is reached

Handle: Ergonomic 2-component handle

		Nm	Nm	lbf. ft.	mm	mm	mm	mm	mm					
05**075631**001 [1]	3/4"	200-1000	1,0	148-737	1250	140	47	63	30	49 7/32"	5 33/64"	1 27/32"	2 31/64"	1 3/16"

[1] Available from May 2021

For mobile phones, tablets and laptops/ desktops.

- ESD-safe tool thanks to surface resistance of ≤ 10^9 ohm
- The fast-turning zone just below the rotating cap allows rapid twisting
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Multi-component Kraftform Micro handles for fast and ergonomic screwdriving
- Included profiles especially suitable for servicing mobile phones, tablets and laptops/desktops
- Take it easy tool finder: colour coding according to profile and size
- Storage and transport in a robust textile bag, so the tool is well protected and always close at hand

NEW

Kraftform Micro ESD Big Pack 1 screwdriver set for electricians

wera.de

With Take it easy Tool Finder: colour coding by profile and size stamping.

Application: Slotted screws, Phillips-Recess screws, TORX® socked screws (TX 8, TX 10 with holding function), TORX PLUS® IPR socket screws, Pentalobe screws, external hexagon bolts and Microstix® screws. One lifting fork for removing stuck components on printed circuit boards after unsoldering

Design: 25-piece set; in folding bag

05**134019**001		
	1550 PH ESD Micro	1x PH 000x40 [1) 2)]; 1x PH 00x40 [1) 2)]; 1x PH 0x40 [3)]; 1x PH 1x80
	1550 PH S ESD Micro	1x # 01x40
	1567 TORX® HF ESD Micro	1x TX 8x60; 1x TX 10x60
	1567 TORX® ESD Micro	1x TX 2x40; 1x TX 3x40; 1x TX 4x40; 1x TX 5x40; 1x TX 6x40
	1567 TORX® BO ESD Micro	1x TX 6 BOx60; 1x TX 8 BOx60
	1567 TORX PLUS® IPR ESD	1x 1 IPRx40
	1572 ESD	1x mx40; 1x 00x40; 1x Fx40; 1x 0x40
	1573 Pentalobe ESD	1x PL 1,1x40; 1x PL 1,4x40
	1569 ESD	1x 3,0x60
	1578 A ESD Micro	1x 0,16x0,8x40; 1x 0,23x1,5x40
	1529 ESD	1x 1,0x3,5x50

[1)] Optimised for Asian PH screws

[2)] On the output side, the blade is turned to a nominal length of 10 mm.

[3)] Size 0 modificated according to JCIS 0 (Japanese Camera Industrial Standard)

NEW

Kraftform Micro 6 ESD smartphone repair kit 1

With Take it easy Tool Finder: colour coding by profile and size stamping.

Application: Phillips-Recess, TORX PLUS® IPR and Microstix® screws, 1 lifting fork for removing stuck components on printed circuit boards after unsoldering

Design: 6-piece set in a cardboard box + rack

05**030182**001		
	1550 PH ESD Micro	1x PH 00x40 [1] [2]; 1x PH 0x40 [3]
	1567 TORX PLUS® IPR ESD	1x 1 IPRx40
	1572 ESD	1x mx40
	1550 PH S ESD Micro	1x # 01x40
	1529 ESD	1x 1,0x3,5x50

[1] Optimised for Asian PH screws

[2] On the output side, the blade is turned to a nominal length of 10 mm.

[3] Size 0 modificated according to JCIS 0 (Japanese Camera Industrial Standard)

NEW

950/9 Hex-Plus Multicolour Imperial 2 L-key set, Imperial, BlackLaser

9-piece set in a two-component clip

Application: Hexagon socket screws

Design: BlackLaser surface, durable plastic sleeve. The contrasting inscriptions on the colour-coded sleeves mean that it is easy to recognise the correct sizes and this makes it simpler to find the right tool.

Tip: Hex-Plus, ball-end hexagon on long arm

05**022640**001		
	950 SPKL inch	1x 5/64"x101; 1x 3/32"x112; 1x 1/8"x123; 1x 5/32"x137; 1x 3/16"x154; 1x 7/32"x172; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224

Kraftform Micro 6 ESD smartphone repair kit 1: For mobile phones and tablets



The screwdriver profiles included in this set are especially suitable for servicing mobile phones and tablets.

High protection

The electric surface resistance of the Wera ESD material is ≤ 10^9 ohm. This securely protects components against electrostatic energy and associated damage.

Take it easy Tool Finder

Screwdrivers with Take it easy tool finder: colour coding according to profile and size stamp.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Limited Editions – when they're gone, they're gone

Photo: SUMMER BREEZE Open Air 2019

EDELSTAHL Rostfrei

INOX
STAINLESS

NEW

Kraftform/7 Heavy Metal 1

With Take it easy Tool Finder: colour coding by profile and size stamping.

Application: Slotted screws, Phillips-Recess and TORX®, with holding function for TORX® screws as per the Acument Intellectual Properties specification

Design: 7-piece set in a cardboard box + rack + Tool Rebel bottle opener

05**138711**001		
	350 PH	1x PH 1x80; 1x PH 2x100
	367 TORX® HF	1x TX 20x100; 1x TX 25x100
	335	1x 0,8x4,0x100; 1x 1,0x5,5x125
	160 iS	1x 0,6x3,5x100
	Bottle opener Tool Rebel	1x 35x50

NEW

Kraftform VDE/7 Heavy Metal 2

Kraftform: The safety screwdriver. Includes some tools with reduced blade diameter. With Take it easy Tool Finder: colour coding by profile and size stamping.

Application: Slotted screws, Phillips-Recess, combination profile Pozidriv/ slotted and TORX® screws

Design: 7-piece set in a cardboard box + rack + Tool Rebel bottle opener

05**138712**001		
	162 iS	1x PH 1x80; 1x PH 2x100
	165 iS PZ/S	1x # 2x100
	160 iS	1x 0,6x3,5x100; 1x 1,0x5,5x125
	167 i TORX® VDE	1x TX 20x80; 1x TX 25x100
	Bottle opener Tool Rebel	1x 35x50

TAKE IT EASY TOOL FINDER

Take it easy Tool Finder

Screwdrivers with Take it easy tool finder: colour coding according to profile and size stamp.

Bottle opener Tool Rebel

A full-metal bottle opener, which is also usable as a key ring.

From our product range

950/9 Hex-Plus Multicolour 1 SB L-key set, metric, BlackLaser

9-piece set in a two-component clip

Application: Hexagon socket screws

Design: BlackLaser surface, durable plastic sleeve. The contrasting inscriptions on the colour-coded sleeves mean that it is easy to recognise the correct sizes and this makes it simpler to find the right tool.

Tip: Hex-Plus, ball-end hexagon on long arm

05**073593**001		
○	**950 SPKL Multicolour**	1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224

950/9 Hex-Plus Multicolour HF 1 L-key set, metric, BlackLaser, with holding function

9-piece set in a two-component clip

Application: Hexagon socket screws

Design: BlackLaser surface, durable plastic sleeve. The contrasting inscriptions on the colour-coded sleeves mean that it is easy to recognise the correct sizes and this makes it simpler to find the right tool.

Tip: Hex-Plus, ball-end hexagon on long arm, holding function for hexagon socket screws, sizes: 1,5, 2,0 and 2,5 without holding function

05**022210**001		
○	**950 SPKL Multicolour**	1x 1,5x90; 1x 2,0x101; 1x 2,5x112
○	**950 SPKL HF Multicolour**	1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224

967/9 TX Multicolour HF 1 L-key set with holding function

9-piece set in a two-component clip

Application: TORX® socket screws

Design: Round, zinc-phosphated, durable plastic sleeve. The contrasting inscriptions on the colour-coded sleeves mean that it is easy to recognise the correct sizes and this makes it simpler to find the right tool.

Tip: Holding function for TORX® screws made according to Acument Intellectual Properties specifications, BlackLaser surface, durable plastic sleeve. The contrasting inscriptions on the colour-coded sleeves mean that it is easy to recognise the correct sizes and this makes it simpler to find the right tool.

05**024179**001		
○	**967 SL TORX® HF**	1x TX 8x76; 1x TX 9x79; 1x TX 10x85; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132

8100 SA 6 Zyklop Speed Ratchet Set, 1/4" drive, metric



28-piece set; in a surface-preserving, compact and extremely robust textile box; low volume and weight for simplified mobility

1 Zyklop Speed Ratchet with 1/4" drive, 9 Zyklop sockets, 1 Zyklop extension (long) with free-turning sleeve, 1 wobble extension, 1 adaptor with quick-release chuck, 15 bits

05**004016**001		
	8000 A	1x 1/4"x152,0
	8790 HMA	1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0
	8794 LA	1x 1/4"x150,0
	8794 A	1x 1/4"x56,0
	8784 A1	1x 1/4"x1/4"x37,0
	851/4 TZ PH	1x PH 1x50; 1x PH 2x50; 1x PH 3x50
	855/4 TZ PZ	1x PZ 1x50; 1x PZ 2x50
	867/4 Z TORX®	1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50
	840/4 Z Hex-Plus	1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50
	K120	1x 50,0x70,0

Bit-Check 30 Impaktor 1

1 Impaktor holder with retaining ring and ring magnet in the chuck for a secure fit of the bits in the holder, 29 Impaktor bits. The Take it easy Bit-Checks have bits with a sleeve which – from its colour and size designation – make it simple to access the right bit quickly.

05**057690**001		
	897/4 Impaktor R	1x 1/4"x75
	851/1 IMP DC	2x PH 1x25; 3x PH 2x25; 2x PH 3x25
	855/1 IMP DC	2x PZ 1x25; 3x PZ 2x25; 2x PZ 3x25
	867/1 IMP DC	1x TX 10x25; 1x TX 15x25; 2x TX 20x25; 3x TX 25x25; 2x TX 30x25; 2x TX 40x25
	840/1 IMP DC	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25

Kraftform Kompakt W 1 Maintenance

35-piece set; in surface-protecting, compact textile box, highly robust; low volume and weight for simplified mobility.

Compact tool set with the most important screwdriving tools for maintenance jobs both indoors as well as outdoors. VDE hand holder including 12 VDE blades; 1 Joker double open-ended wrench with holding function, limit stop, small return angle and extremely high-grip toothing; incl. the incredibly fast 1/4" Zyklop Speed ratchet with accessories; 8 manual and power tool sockets in the dimensions 5.5-13, 1 universal bit holder; 7 25mm bits; 1 screw gripper to firmly hold screws; 1 voltage tester 247; textile box that is very robust and durable; can be positioned upright in the workshop shelf for tidy storage; additional surface protection thanks to the textile outer material; low weight and volume for simplified mobility.

05**135926**001		
	817 VDE	1x 9x102
	KK 60 i	1x 0,4x2,5x154
	KK 60 iS	1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154
	KK 62 iS	1x PH 1x154; 1x PH 2x154
	KK 65 iS PZ	1x PZ 1x154; 1x PZ 2x154
	KK 67 i TORX®	1x TX 10x154
	KK 67 iS TORX®	1x TX 15x154; 1x TX 20x154; 1x TX 25x154
	1440	1x 4,5-6,0x41,0
	247	1x 0,5x3,0x70
	6002 Joker Double	1x 10x13x167
	8000 A	1x 1/4"x152,0
	8784 A1	1x 1/4"x1/4"x37,0
	8794 SA	1x 1/4"x75,0
	8790 HMA	1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0
	893/4/1 K	1x 1/4"x50
	855/1 Z PZ	1x PZ 1x25; 1x PZ 2x25
	840/1 Z Hex-Plus	1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25
	867/1 TORX®	1x TX 25x25
	K240	1x 50,0x240,0

Product not available in the USA and Canada.

EDELSTAHL Rostfrei
INOX
STAINLESS

The Campaign is valid from 1st March 2021 to 31st August 2021. No liability for printing errors or mistakes shall be assumed.

Wera

Wera Werkzeuge GmbH
Korzerter Straße 21–25
D-42349 Wuppertal

Phone: +49 (0)2 02 / 40 45-0
Fax: +49 (0)2 02 / 40 45 276
E-Mail: info@wera.de
www.wera.de

Wera Tools (UK) LTD.
Railway View
Clay Cross
Chesterfield
Derbyshire, S45 9FR

Phone: +44 (0)1246 / 277756
Fax: +44 (0)1246 / 273335
eMail: queries@wera-tools.co.uk
Internet: www.wera-tools.co.uk

EN 05 500802 021 - 0053701 - 01