





CEMBRE


IDENTIFICATION & LABELLING SYSTEMS



MG3 / THERMAL TRANSFER SYSTEM FOR SHEET MEDIA




- **TIME/COST EFFECTIVE PRODUCTION:** no warm up, easy loading/unloading of media. Printing cost is not dependent on print density. Each monochrome ribbon can print more than 300,000 MG-TPMF 4x10 mm cable tags
- **FAST:** 10 second print cycle, quality checked by the operator
- **CLEAN AND QUIET:** produces no fumes or residue and may be conveniently located in an office
- **PORTABLE AND RUGGED:** unaffected by environmental changes or relocation, suited for on-site application
- **READY TO USE:** dry resin ribbon is clean to touch so printed media are immediately ready to use



ROLLY3000 / THERMAL TRANSFER SYSTEM FOR ROLL MEDIA

- **ROBUST AND QUIET**
- **RELIABLE:** intensive operation in an office or factory environment
- **EASY TO SET-UP:** has the facility to optimise printer set-up according to the media selected







CABLE TAGS

CABLE TAGS PRECUT 4 mm

PUSH IN



MG-TPMF

TPM-ROLL

CABLE TAGS 4 mm

PUSH IN



MG-TPM

CABLE TAGS ONE PIECE

PUSH ON WITHOUT HOLDER



MG-TDM

CABLE TAGS ONE PIECE

CLIP ON WITHOUT HOLDER



MG-TDMO



CEMBRE

WRAPAROUND CABLE MARKERS



MG-KMP

KM-ROLL

CABLE TAGS PRECUT

TIE ON




MG-ETF


ETF-ROLL

HEAT SHRINK TUBING

SINGLE & BOTH SIDES PRINTING



TERMO-ROLL





START DRIP OILER EGG CONVEYOR HA

LIFTER DOWN

EGG BELTS RUNNING

LIFTER DOWN

LIFTER DOWN

LIFTER TIER 2

LIFTER TIER 1

EGG CONVEYOR HOUSE H6 1

EGG BELTS RUNNING

START DRIP OILER EGG CONVEYOR HA



LEGENDS



15 mm
PRECUT



MG-TAP

TAP-ROLL

9 mm
PRECUT



MG-TAPW

TAP-ROLL

SELF ADHESIVE
PRECUT



MG-TAA

PUSH BUTTON
PRECUT



MG-PTS

PLC
PRECUT



MG-PLC

MODULAR
PRECUT



MG-17.5

STRIP-ROLL

PREDRILLED
WITH ONE HOLE




MG-DOG

COMPONENT MARKERS
CLIP IN



MG-SPM



00309

100311

SIEMENS
5SY61
MCB
C16
230/400

1QF32

5ST301
AS

13
21
14

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00306

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00311

00306

00311


19101



MARKERS

TERMINAL BLOCK MARKERS

CLIP-ON



MG-CPM, MG-CPMF, MG-VYB



LABELS

LABELS PRECUT

SELF ADHESIVE







MG-VYT, MG-PYT, MG-VVCT

VCT-ROLL



MARKERS COMPATIBLE WITH OVER 1000
TERMINAL BLOCKS CURRENTLY ON THE MARKET

INDEPENDENT TERMINAL BLOCK SOLUTION



WARNING LABELS




MG-SIGNS

TTF



LABELS ON A ROLL, SELF ADHESIVE



TTL






PANEL PLATES

PANEL PLATES

PLAIN OR SELF ADHESIVE WITH OR WITHOUT PREDRILLED HOLES

Customisable MARKINGENIUS® media are used to create name plates, rating plates, data plates using company logos, technical data, serial numbers, EC certification, UL 969 certified, etc.

Consult us for MG-VRT plates preprinted in full colour with your company logo.



Consult us for Halogen Free material

All media available in white and yellow.
Consult us for other colours




CEMBRE



Respect the delimited areas and do not stand in the action range of the mechanical arm.
Read and understand operator's manual before using this machine.
Equipment must be provided with the relevant approvals and declarations of conformity.

TECHNICAL DATA TABLE



Precision	0.07 mm
M_r = Rotation Moment	$M_{r \max} = 850 \text{ Nm}$
Workspace Area	28.75 m ²
Max. Range of Action	1.405 mm
Max. Load	8.5 kg
Speed	9 m/s
Axes Number	6
Protection	Cage

Via Serenissima, 9 - 25135 BRESCIA - Tel. 030 3692 1 - Email: info@cembre.com - www.cembre.com


GENIUSPRO SOFTWARE

SYSTEM-LIFETIME SUPPORT


15 years of continuous development based on customer feedback



free lifetime software updates, technical support and training




import from 11x CAD software + excel



19 languages available

- Free software updates
- Pre-purchase trials
- Free of charge training and support every working day, by phone, remote computer access via internet or site visit
- Samples of available media for customer approval and new media developments welcome



Cod. 6260598



22V064E



8 016692 695846

www.cembre.com



CEMBRE S.p.A.
via Serenissima, 9
25135 Brescia
Italy
Ph +39 030 36921
ufficio.vendite@cembre.com
sales@cembre.com

CEMBRE Ltd.
Dunton Park,
Kingsbury Road,
Curdworth, Sutton Coldfield,
West Midlands, B76 9EB
United Kingdom
Ph +44 01675 470440
sales@cembre.co.uk

CEMBRE S.a.r.l.
22 Avenue Ferdinand
de Lesseps
91420 Morangis Cedex
France
Ph +33 01 60 49 11 90
info@cembre.fr

CEMBRE España S.L.U.
Calle Verano 6 y 8
Pl Las Manjas
28850 Torrejón de Ardoz
Madrid - Spain
Ph +34 91 4852580
comercial@cembre.com

CEMBRE GmbH
Geschäftsbereich
Energie- und Bahntechnik
Heidemannstr. 166
80939 München
Germany
Ph +49 89-3580676
info@cembre.de

CEMBRE GmbH
Geschäftsbereich
Industrie und Handel
Boschstraße 7
71384 Weinstadt
Germany
Ph +49 7151-20536-60
info-w@cembre.de

CEMBRE Inc.
Raritan Center Business Park
300 Columbus Circle-S.F.
Edison, NJ 08837 USA
Ph +1 (732) 225-7415
sales.us@cembre.com
Midwest Office
1051 Perimeter Dr #610
Schaumburg, IL 60173

